

PSSu E S RS232

312515



Electronic module , standard function, serial interface RS232.

## Technical details

|                           |   |
|---------------------------|---|
| Certifications:           | CE;cULus Listed   |
| Application range:        | Standard  |
| Protection type, housing: | IP20  |
| Permitted base modules:   | PSSu BP 1/12C;PSSu BP 1/12S;PSSu BP 1/8C;PSSu BP 1/8S;PSSu BP-C 1/12C;PSSu BP-C 1/12S;PSSu BP-C 1/8C;PSSu BP-C 1/8S |
| Width dimension:          | 12.6 mm   |
| Height dimension:         | 76.0 mm   |
| Depth dimension:          | 60.2 mm   |
| Gross weight:             | 51 g  |
| Net weight:               | 36 g  |
| Ambient temperature:      | 0 - 60 °C   |

## Accessories



312600

PSSu BP 1/8 S



312601

PSSu BP 1/8 C



312610

PSSu BP-C 1/8 S



312611

PSSu BP-C 1/8 C



312618

PSSu BP 1/12 S



312619

PSSu BP 1/12 C



312620

PSSu BP-C 1/12 S



312621

PSSu BP-C 1/12 C

## Optional accessories



312900

PSSu A ET (10 pcs.)



312901

PSSu A ETM (2 pcs.)



312902

PSSu A EC



312949

PSSu A ET PE (10 pcs.)



312958

PSSu A LA0 (10 x 108 pcs.)



312967

PSSu A LA0.1 (10 x 108 pcs.)