

## PSSu E PS-P +/-15V

312592



Electronic module for power supply, periphery +/- 15 V.

### Technical details






Certifications:	CE;cULus Listed;BG;TÜV
Application range:	Standard
Power consumption DC:	12.0 W
Supply voltage (V):	24,0
Supply voltage type:	DC
Purpose of supply voltage:	Input
Permitted base modules:	PSSu BP 1/12C;PSSu BP 1/12S;PSSu BP 1/8C;PSSu BP 1/8S;PSSu BP-C 1/12C;PSSu BP-C 1/12S
Width dimension:	12.6 mm
Height dimension:	76.0 mm
Depth dimension:	60.2 mm
Gross weight:	55 g
Net weight:	40 g
Ambient temperature:	0 - 60 °C

### Accessories







312600

PSSu BP 1/8 S

	312601	PSSu BP 1/8 C
	312618	PSSu BP 1/12 S
	312619	PSSu BP 1/12 C
	312620	PSSu BP-C 1/12 S
	312621	PSSu BP-C 1/12 C

## Optional accessories

	312900	PSSu A ET (10 pcs.)
	312901	PSSu A ETM (2 pcs.)
	312902	PSSu A EC



312949

PSSu A ET PE (10 pcs.)



312958

PSSu A LA0 (10 x 108 pcs.)



312967

PSSu A LA0.1 (10 x 108 pcs.)