

## PNOZ m ES ETH

772130



Configurable control system PNOZmulti 2 expansion module  
Communication interface Ethernet/Modbus-TCP interface.

### Technical details

Certifications:	CE;cULus Listed;EAC (Eurasian)
Fieldbus interface:	Modbus/TCP
Fieldbus connection:	RJ45
Fieldbus type:	Slave
Number of Ethernet interfaces:	2
Version for extreme environ. conditions:	Standard
Width dimension:	22.5 mm
Height dimension:	101.4 mm
Depth dimension:	111.0 mm
Gross weight:	90 g
Net weight:	80 g
Ambient temperature:	0 - 60 °C

### Optional accessories



380401

RJ45 Connector



779260

PNOZ mm0.xp connector left (10 pcs)

## Alternatives



772131

PNOZ m ES RS232

## Related Products



772100

PNOZ m B0



772120

PNOZ m EF Multi Link



772121

PNOZ m EF PDP Link



772122

PNOZ m EF SafetyNET



772140

PNOZ m EF 16DI



772142

PNOZ m EF 8DI4DO



772143

PNOZ m EF 4DI4DOR



772144

PNOZ m EF 8DI2DOT

---



772160

PNOZ m EF 4AI

---



772170

PNOZ m EF 1MM

---



772171

PNOZ m EF 2MM

---



773600

PDP67 F 8DI ION

---



773601

PDP67 F 8DI ION HP

---



773614

PDP67 F 8DI ION VA

---



773615

PDP67 F 8DI ION HP VA

---



773616

PDP67 F 8DI ION PT

---